

# FIFRA Section 24(c) Special Local Need (SLN) Label

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

## Indar® 2F

EPA Reg. No. 62719-416

EPA SLN No. GA-20XXXX

For Distribution and Use Only Within the State of Georgia

This label valid until December 31, 2025 or until otherwise amended, withdrawn, canceled, or suspended.

### Increase Use Rate for Control of Apple Diseases in Apple

#### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This SLN labeling and the federal label for this product must be in the possession of the user at the time of application.
- Read this SLN label and the label affixed to the container for Indar® 2F fungicide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Indar 2F according to this SLN label is subject to all use precautions and limitations imposed by the label affixed to the container for Indar 2F.

### Directions for Use

#### Apple

Disease	Indar 2F Fl oz/acre <sup>1</sup>	Use Directions	Restrictions
flyspeck ( <i>Zygophiala jamaicensis</i> ) powdery mildew ( <i>Podosphaera leucotricha</i> ) rusts ( <i>Gymnosporangium spp.</i> ) scab ( <i>Venturia inaequalis</i> ) sooty blotch ( <i>Gloeodes pomigena</i> )	6 – 10 (0.094 – 0.16 lb active)	Begin application at green tip or when environmental conditions become favorable for disease development. Apply on a 7- to 10-day schedule through the first cover spray; thereafter, apply on a 10- to 14-day schedule. Apply aerially in a minimum of 10 gallons of water per acre or by ground in a minimum of 20 gallons of water per acre.	<ul style="list-style-type: none"> <li>• Do not make more than 4 applications or apply more than a total of 32 fl oz of Indar 2F (0.5 lb active) per acre per year.</li> <li>• <b>Preharvest Interval:</b> Do not apply within 14 days of harvest.</li> <li>• <b>Do not graze livestock treated areas or feed cover crops grown in treated areas in to livestock.</b></li> <li>• Do not apply this product by chemigation to apple.</li> </ul>

<sup>1</sup>Maintain per acre use rate regardless of spray volume per acre.

Refer to product label for Mixing, Handling and Applications.

Indar 2F is a protectant fungicide. Best disease control is achieved when a protectant application schedule is followed.

®™ Trademarks of Dow AgroSciences, DuPont or Pioneer and their affiliated companies or respective owners R349-035

Accepted: \_\_/\_\_/\_\_

Initial Printing